

ZHONGJI

Indoor Aluminum Ceiling Panel (SN series)



ZHONGJI can make indoor aluminum ceiling panel custom made to suit your cladding, including used in snap in system、 lay in tegular system、 linear、 grid concealed system、 grid lay in system

Features

>Customizable

Material

>Aluminium

Standard Sizes

>Width x Height x Thickness

Lead Time

>Standard 1 to 2 Weeks


>Express Service Available

ZHONGJI

www.zjalu.com


Phone:86 059183466107 Email:zhongji@zjalu.com

ZHONGJI




Snap In System Panel

Brand: ZHONGJI Material: Aluminum
 Size: tailored Thickness: 0.5-0.8mm
 Frame: Snap in Bar
 Specification: Excellent coating
 Performance, strong composite fastness,
 good temperature adaptation, light weight,
 high strength, sound and heat insulation,
 Shockproof



Lay In Tegular Panel

Brand: ZHONGJI Material: Aluminum
 Size: tailored Thickness: 0.5-0.8mm
 Frame: tee
 Specification: easy installation, light weight
 high strength, size adjustability, flexibility



Linear


Brand: ZHONGJI Material: Aluminum
 Size: tailored Thickness: 0.5-0.8mm
 Specification: flexibility in design, ease of
 access to equipment or service lines, easy
 maintenance and speed of installation. This
 ceiling can be supplied in both plain and
 perforated forms.

ZHONGJI

www.zjalu.com


Phone: 86 059183466107 Email: zhongji@zjalu.com

ZHONGJI



Grid Concealed System

Brand: ZHONGJI Material: Aluminum
Size: tailored Thickness: 0.3mm
Frame: Main Runner, Cross Runner, Clip
Specification: easy accessibility and installation, simple downward accessibility, easy service integration, good choice for edge detail and perforation pattern



Grid Lay In System

Brand: ZHONGJI Material: Aluminum
Size: tailored Thickness: 0.3mm-0.4mm
Frame: Main Tee, Cross Tee
Specification: easy accessibility, stability of interlocking exposed grid, clean, modular ceiling, durable, easy integration

ZHONGJI

www.zjalu.com

Phone: 86 059183466107 Email: zhongji@zjalu.com